


Outdoor Shielded Downlink Ethernet Cables

SIL DLC 10M
SIL DLC 20M
SIL DLC 50M
SIL DLC 90M



Outdoor Graded network Cable with RJ45 Male Connectors

OVERVIEW

SilverNet's SIL DLC Range is a solid copper core **outdoor shielded Ethernet network cable**. The range is available in 4 lengths; 10 Metres, 20 Metres, 50 Metres and 90 Metres, giving you flexibility over your installation.

The SIL DLC provides super-fast and reliable connectivity between any network devices whilst the shield defends against sources of noise from external sources that could cause data loss.

Features

- Shielded Internal Sheath
- Shielded RJ45 Head
- Twisted-pair copper wiring
- Heavy-duty outdoor casing
- Internal Grounding Wire
- Installation temperature Range: -40 to +85°C
- Operating temperature Range: -40 to +85°C

| Part Code | Description |
|-------------|--|
| SIL DLC 10M | 2 x Shielded RJ45 heads with 1 Cable 10 Metre length |
| SIL DLC 20M | 2 x Shielded RJ45 heads with 1 Cable 20 Metre length |
| SIL DLC 50M | 2 x Shielded RJ45 heads with 1 Cable 50 Metre length |
| SIL DLC 90M | 2 x Shielded RJ45 heads with 1 Cable 90 Metre length |

Copyright © SilverNet Limited. All rights reserved. All other company and product names may be trademarks of their respective companies. Whilst every effort is made to make sure the information shown is accurate, SilverNet Limited can not accept liability for any errors that may arise. No freedom to use information, patents, trademarks or other intellectual property rights is implied by the publication of this document. E&OE. SilverNet Limited reserve the right to change specifications and other information within this document without notice and your attention is brought to the fact that performance figures are under ideal conditions. Actual performance will depend on many environmental factors and it is recommended that a site survey is undertaken prior to installation. Please also note that this equipment may also be subject to local legislative restrictions. It is the end users responsibility to ensure that the installation complies with any such restrictions that are in force.



Distributed By: